# **Drainage Manual References**

## Chapter 1: Introduction

San Joaquin Valley Drainage Program (1990) A management plan for agricultural subsurface drainage and related problems on the Westside San Joaquin Valley: Final report by the San Joaquin Valley Drainage Program. U.S. Department of the Interior and California Resources Agency, Sacramento, CA, 183 pages.

## Chapter 2: IFDM System Description and Example of Operating IFDM System

Title 27 Environmental Protection. Division 2. Solid Waste. Subdivision 1. Consolidated Regulations for Treatment, Storage, Processing, or Disposal of Solid Waste. Chapter 7. Special Treatment, Storage, and Disposal Units, Subchapter 6. Solar Evaporators, Article 1. Solar Evaporator Regulations (Draft Revised 7/7/03).

Rhoades, J.D. (1989) Intercepting, isolating and reusing drainage waters for irrigation to conserve water and protect water quality. Agr. Wat. Man. 16. pp. 37-52

## **Chapter 3: IFDM System Design Considerations**

Ayars, J.E., M.E. Grismer and J.C. Guitjens (1997) Water quality as design criterion in drainage water management system. Journal of Irrigation and Drainage Engineering 123(3): 148-153.

Ayars, J.E. and R.A. Schoneman (1986) Use of saline water from a shallow water table by cotton. Trans. of the ASAE 29, pp. 1674-1678.

Ayars, J.E. and R.B. Hutmacher (1994) Crop Coefficients for Irrigation Cotton in the Presence of Groundwater. Irrig. Sci. 15(1): 45-52.

Ayars, J.E. (1999) Integrated management of irrigation and drainage systems. In: M.F.A. Goosen and W.H. Shayya (eds) Water Management, Purification & Conservation in Arid Climates. Vol. 1. Technomic Press, Lancaster, PA, pp. 139-164.

Kite, S.W. and B.R. Hanson (1984) Irrigation scheduling under saline high water tables. California Agriculture 38, pp. 12-14.

Title 27 Environmental Protection. Division 2. Solid Waste. Subdivision 1. Consolidated Regulations for Treatment, Storage, Processing, or Disposal of Solid Waste. Chapter 7. Special Treatment, Storage, and Disposal Units, Subchapter 6. Solar Evaporators, Article 1. Solar Evaporator Regulations (Draft Revised 7/7/03).

#### Chapter 4: Drainage Water

Ayers, R.S., and D.W. Westcot (1985) Water Quality for Agriculture. FAO Irrigation and Drainage Paper 29 Rev.1, Food and Agriculture Organization of the United Nations, Rome. 174 pages.

California Department of Water Resources (2001) Salt balance in the San Joaquin Valley. Water Facts No. 20.

Grattan, S.R., and J.D. Rhoades (1990) Irrigation with saline groundwater and drainage water. In: K.K. Tanji (ed) Agricultural Salinity Assessment and Management, Manuals and Reports on Engineering Practice No. 71 American Society of Civil Engineers, New York, pp. 432-449.

Hanson, B., S.R. Grattan, and A. Fulton (1999) Agricultural Salinity and Drainage. Division of Agriculture and Natural Resources (ANR) resources publication #3375, University of California. Available for purchase at: <a href="http://anrcatalog.ucdavis.edu/">http://anrcatalog.ucdavis.edu/</a>

Rhoades, J.D. (1984) Use of saline water for irrigation. California Agriculture special issue: Salinity in California. Calif. Agric. 38 (10):42-43.

San Joaquin Valley Drainage Program (1990) A management plan for agricultural subsurface drainage and related problems on the Westside San Joaquin Valley: Final report by the San Joaquin Valley Drainage Program. U.S. Department of the Interior and California Resources Agency, Sacramento, CA, 183 pages.

## **Chapter 5: Crop Selection for IFDM Systems**

Ayers, R.S., and D.W. Westcot. (1985) Water Quality for Agriculture. FAO Irrigation and Drainage Paper 29 Rev.1, Food and Agriculture Organization of the United Nations, Rome. 174 pages.

Grattan S.R., C.M. Grieve, J.A. Poss, P.H. Robinson, D.L. Suarez, and S.E. Benes (2004) Irrigating Forages with Saline Drainage Water: III. Implications for Ruminant Mineral Nutrition. Agricultural Water Management. 70(2): 137-150.

Grattan, S.R. and J.D. Oster (2003) Use and Reuse of Saline-sodic Waters for Irrigation of Crops. In: S.S. Goyal, S.K. Sharma, and D.W. Rains (eds) Crop Production in Saline Environments. Journal of Crop Production Vol. 2, Haworth Press, New York.

Kaffka, S., J. Oster, and D. Corwin (2004) Forage production and soil reclamation using saline drainage water. Proceedings of CA Alfalfa Symposium 2004. pp. 247-53. Available at: <a href="http://alfalfa.ucdavis.edu">http://alfalfa.ucdavis.edu</a>.

Maas, E.V. and S.R. Grattan. (1999) Crop yields as affected by salinity. In: R.W. Skaggs and J. van Schilfgaarde (eds) Agricultural Drainage. American Society of Agronomy, Madison, WI; Agronomy No. 38: pp. 55-108.

Robinson P.R., S.R Grattan, G. Getachew, C.M. Grieve, J.A. Poss, D.S. Suarez, and S.E. Benes (2004) Biomass accumulation and potential nutritive value of some forages irrigated with saline-sodic drainage water. Animal Feed Science and Technology 111: 175-189.

#### **Chapter 6: IFDM System Management**

Title 27 Environmental Protection. Division 2. Solid Waste. Subdivision 1. Consolidated Regulations for Treatment, Storage, Processing, or Disposal of Solid Waste. Chapter 7. Special Treatment, Storage, and Disposal Units, Subchapter 6. Solar Evaporators, Article 1. Solar Evaporator Regulations (Draft Revised 7/7/03).

### Chapter 7: Monitoring, Recordkeeping, and Reporting

California Department of Water Resources (1994) Quality assurance technical document 2: Sampling manual for environmental measurement projects. Division of Local Assistance, Department of Water Resources, Sacramento, CA.

California Department of Water Resources (1998) Guidelines for preparing quality assurance project plans. Division of Local Assistance, Department of Water Resources, Sacramento, CA. Available at http://wq.water.ca.gov/qa/publicat/qa6.pdf, August 24, 2005.

Title 27 Environmental Protection. Division 2. Solid Waste. Subdivision 1. Consolidated Regulations for Treatment, Storage, Processing, or Disposal of Solid Waste. Chapter 7. Special Treatment, Storage, and Disposal Units, Subchapter 6. Solar Evaporators, Article 1. Solar Evaporator Regulations (Draft Revised 7/7/03).

California Environmental Protection Agency, State Water Resources Control Board, Surface Water Ambient Monitoring Program (SWAMP), Quality Assurance and Quality Control, Quality Assurance Project Plan (Quality Assurance Management Plan). Available at <a href="http://www.swrcb.ca.gov/swamp/qamp.html">http://www.swrcb.ca.gov/swamp/qamp.html</a>, August 18, 2005.

California Irrigation Management Information System (CIMIS). Department of Water Resources Office of Water Use Efficiency. Available at http://www.cimis.water.ca.gov, August 24, 2005.

California Department of Health Services, Description of Field of Testing (FOT)/Field of Accreditation (FOA). Available at <a href="http://www.dhs.ca.gov/ps/ls/ELAP/pdf/FOT">http://www.dhs.ca.gov/ps/ls/ELAP/pdf/FOT</a> Desc.pdf, August 24, 2005.

California Department of Health Services, Division of Laboratory Science. Environmental Laboratory Accreditation Program, Certified Laboratory Lists. Available at <a href="http://www.dhs.ca.gov/ps/ls/ELAP/httml/lablist.htm">http://www.dhs.ca.gov/ps/ls/ELAP/httml/lablist.htm</a>, August 24, 2005.

## Chapter 8: Economic Analysis of Integrated on-Farm Drainage Management

Campbell-Mathews, M., R. Vargas, S. Wright, C. Collar, M. Canevari, L. Jackson, B. Marsh, K. Klonsky, and P. Livingston (1999) Sample costs to produce winter forage, San Joaquin Valley. University of California Cooperative Extension, Davis, California.

Freeman, M.W., M.A. Viveros, K.M. Klonsky, and R.L. DeMoura (2003) Sample costs to establish an almond orchard and produce almonds, San Joaquin Valley south, micro-sprinkler irrigation. University of California Cooperative Extension, Davis, California.

Hutmacher, R.B., R.N. Vargas, S.D. Wright, B.A. Roberts, B.H. Marsh, D.S. Munk, B.L. Weir, K.M. Klonsky, and R.L. DeMoura (2003) Sample costs to produce cotton (acala variety) 40-inch row, San Joaquin Valley. University of California Cooperative Extension, Davis, California.

Kallsen, C.E., B.A. Holtz, L.C. Hendricks, L. Ferguson, S.G. Sibbett, R.H. Beede, K.M. Klonsky, and R.L. DeMoura (2000) Sample costs to establish and produce pistachios, San Joaquin Valley, low-volume irrigation. University of California Cooperative Extension, Davis, California.

May, D.M., B.L. Weir, J.J. Nunez, K.M. Klonsky, and R.L. DeMoura (2001) Sample costs to establish and produce processing tomatoes, San Joaquin Valley, double-row seeded. University of California Cooperative Extension, Davis, California.

United States Department of Labor (2003) Bureau of Labor Statistics, Consumer Price Index for All Urban Consumers. Available at www.bls.gov, December 15, 2003.

Vargas, R.N., S.C. Mueller, C.A. Frate, M. Canevari, M. Campbell-Mathews, K.M. Klonsky, and R.L. DeMoura (2003) Sample costs to establish and produce alfalfa, San Joaquin Valley, 300 acre planting. University of California Cooperative Extension, Davis, California.

Vasquez, S.J., G.M. Leavitt, W.L. Peacock, L.P. Christensen, S.R. Sutter, K.J. Hembree, K.M. Klonsky, D.G. Katayama, and R.L. DeMoura (2003) Sample costs to establish a vineyard and produce dried-on-vine raisins, early maturing varieties, open gable trellis system, San Joaquin Valley. University of California Cooperative Extension, Davis, California.

## Chapter 9: Future Research

California Department of Water Resources, Proposition 204 Approved Projects for 2000-2001. Available at <a href="http://www.sjd.water.ca.gov/drainage/prop204.proj00\_01/index.cfm">http://www.sjd.water.ca.gov/drainage/prop204.proj00\_01/index.cfm</a>, July 11, 2005.

California Department of Water Resources, Proposition 204 Approved Projects for 2001-2002. Available at <a href="http://www.sjd.water.ca.gov/drainage/prop204.proj01\_02/index.cfm">http://www.sjd.water.ca.gov/drainage/prop204.proj01\_02/index.cfm</a>, July 11, 2005.

California Department of Water Resources, Proposition 204 Approved Projects for 2002-2003. Available at http://www.sjd.water.ca.gov/drainage/prop204.proj02 03/index.cfm, July 11, 2005.

California Department of Water Resources, Proposition 204 Approved Projects for 2003-2004. Available at <a href="http://www.sjd.water.ca.gov/drainage/prop204.proj03\_04/index.cfm">http://www.sjd.water.ca.gov/drainage/prop204.proj03\_04/index.cfm</a>, July 11, 2005.

UC Center for Water Resources, Salinity/Drainage Projects Approved for Funding 2002-2003. Available at <a href="http://www.waterresources.ucr.edu/index.php?content=sdp/research/SDProjects02-03/SDresearch02-03.html">http://www.waterresources.ucr.edu/index.php?content=sdp/research/SDProjects02-03/SDresearch02-03.html</a>, July 11, 2005.

## **Appendix Material**

## Farming Unit Design

Ayers, R.S. and D.W. Westcot (1985) Water quality for agriculture. FAO Irrigation and Drainage Paper 29 Rev. 1. Food and Agriculture Organization of the United Nations, Rome, 174 pages.

California Department of Water Resources (1986) Crop water use in California, Bulletin 113-4 (April).

California Irrigation Management Information System (CIMIS). Department of Water Resources Office of Water Use Efficiency. Available at <a href="http://www.cimis.water.ca.gov">http://www.cimis.water.ca.gov</a>, August 24, 2005.

Doorenbos, J. and W.O. Pruitt (1977) Crop water Requirements. FAO Irrigation and Drainage Paper 24. Food and Agriculture Organization of the United Nations, Rome.

United States Soil Salinity Laboratory Staff (1954) USDA Handbook 60, Diagnosis and improvement of saline and alkali soils, 160 pages.

# Solar Evaporator for Integrated on-Farm Drainage Management System at Red Rock Ranch, San Joaquin Valley, California

Chapter 6.5 of Division 20 of the Health and Safety Code, relating to water, Article 9.7, Section 25209.11.

#### Drainage Water and Its Effects on Wildlife

Bradford, D.F., L.A. Smith, D.S. Drezner and D.J. Shoemaker (1991) Minimizing contamination hazards to waterbirds using agricultural drainage evaporation ponds. Environmental Management 15(6):785-795.

California Department of Water Resources and San Joaquin Valley Drainage Program (1998) A status report on drainage management in the San Joaquin Valley. Division of Planning and Local Assistance, DWR, 65 pages.

CH2M-Hill, H.T. Harvey & Associates and G.L. Horner (1993) Cumulative impacts of agriculture evaporative basins on wildlife. Prepared for DWR.

Eisler, R. (1985) Selenium hazards to fish, wildlife, and invertebrates: A synoptic review. Laurel, MD, Patuxent Wildlife Research Center - U.S. Fish and Wildlife Service.

Friend, M., and C. Franson (eds) (1999) Field manual of wildlife diseases: General field procedures and diseases of wild birds. US Department of the Interior, US Geological Survey, ISBN: 0-607-88096-1 <a href="http://www.nwhc.usgs.gov/pub\_metadata/field\_manual/field\_manual.html">http://www.nwhc.usgs.gov/pub\_metadata/field\_manual/field\_manual.html</a>

Gordus, A.G., H.L. Shivaprasad and P.K. Swift (2002) Salt toxicosis in ruddy ducks that winter on an agricultural evaporation basin in California. Wildlife Disease Association 38(1):124-131.

Koller L.D. and J.H. Exon (1986) The two faces of selenium-deficiency and toxicity are similar in animals and in man. Can. J. Vet. Res. 50 (3):297-306.

Lemly, A.D. and G.J. Smith (1987) Aquatic cycling of selenium: Implications for fish and wildlife. Fish and Wildlife Leaflet 12. U.S. Fish and Wildlife Service. Washington D.C.

Lemly, A.D. (1996) Selenium in aquatic organisms. In: W.N. Beyer, G.H. Heinz and A.W. Redmond-Norwood (eds) Environmental contaminants in wildlife, interpreting tissue concentration. SETAC special publication series. Lewis, Boca Raton, FL, Chapter 19, pp.427-445.

Luoma, S.N. and T.S. Presser (2000) Forecasting selenium discharges to the San Francisco Bay-Delta Estuary: Ecological effects of a proposed San Luis Drain extension. Open file report 00-416. US Department of the Interior, US Geological Survey. <a href="http://www.water.usgs.gov/pubs/of/ofr00-416/">http://www.water.usgs.gov/pubs/of/ofr00-416/</a>

Marshack, J.B. (1998) A Compilation of water quality goals, Calif. Environmental Protection Agency and Regional Water Quality Control Board Central Valley Region. Current version available on the web at: <a href="http://www.swrcb.ca.gov/rwqcb5/availabledocuments/wq\_goals/wq\_goals/pdf">http://www.swrcb.ca.gov/rwqcb5/availabledocuments/wq\_goals/wq\_goals/pdf</a>.

Ohlendorf, H.M. and J.P. Skorupa (1993) Food-chain transfer of trace elements to wildlife. In: R.G. Allen and C.M.V. Neale (eds), Management of irrigation and drainage systems: Integrated perspectives. American Society of Civil Engineers, New York, pp. 596-603.

Ohlendorf, H.M. and J.P. Skorupa (1989) Selenium in relation to wildlife and agricultural drainage water. In: S. C. Carapella, Jr. (ed.), Proceedings of the fourth International Symposium on Uses of Selenium and Tellurium, pp. 314-338. Selenium-Tellurium Development Association, Darien, CT.

Salmon T.P. and R.E. Marsh (1991) Effectiveness and cost of minimizing bird use on agriculture evaporation ponds. California Department of Water Resources Contract No. B-57211, 118 pages.

San Joaquin Valley Drainage Program (1999) Task 4 Evaporation Ponds: Final Report. Feb 1999. Evaporation Ponds Technical Committee. San Joaquin Valley Drainage Program and UC Salinity/Drainage Program.

Title 27 Environmental Protection. Division 2. Solid Waste. Subdivision 1. Consolidated Regulations for Treatment, Storage, Processing, or Disposal of Solid Waste. Chapter 7. Special Treatment, Storage, and Disposal Units, Subchapter 6. Solar Evaporators, Article 1. Solar Evaporator Regulations (Draft Revised 7/7/03).

URS (2000) Draft environmental impact statement and environmental impact report: Vol I and II. Prepared for U.S. Bureau of Reclamation and San Luis & Delta Water Authority.

#### Maas-Hoffman Tables are from:

Agricultural Drainage, ASA Monograph 38. 1999. J. van Schilfgaarde and R.W. Skaggs (eds.) American Society of Agronomy. Madison, WI, pp. 71-81, 83-85, and 92-94.

## Laws and Regulations

See text in Appendix for contact information.

# Glossary

Amendment. See Soil amendment; see Water amendment.

**Anion**. Negatively charged constituent or ion in the water. Chloride, sulfate, and bicarbonate are anions.

Application uniformity. See Distribution uniformity.

**Attainable leaching fraction**. The smallest average leaching fraction required under a given set of conditions to satisfy crop needs and control salinity in the least-watered parts of the field.

**Cation**. Positively charged constituent or ion in the water. Sodium, calcium, magnesium, and potassium are cations.

**Cation exchange capacity**. Relative capacity of positively charged ions (cations) attached to clay particles in a given soil to be exchanged for other types of cations in the soil solution. Too much sodium on the clay particles relative to calcium and magnesium can cause the clay to swell, making the soil less permeable to water.

**Chlorosis.** Yellowing or bleaching of leaves, often induced by a nutrient deficiency, specific-ion toxicity, or disease.

**Continuous ponding**. The process of reclaiming saline soils by ponding water on the soil surface until enough salt has been removed from the crop root zone.

**Crop water use**. The amount of water used by a specific crop in a given period of time. See also *Evapotranspiration*.

**Deep percolation**. The phenomenon of irrigation water flowing through the soil past the root zone where it is lost to crop production.

**Distribution uniformity (DU)**. A measure of how uniformly water is applied over a field, calculated as the minimum depth of applied water, divided by the average depth of applied water, multiplied by 100.

**Electrical conductivity**. The extent to which water conducts electricity, which is proportional to the concentration of dissolved salts present and is therefore used as an estimate of the total dissolved salts in soil water. Electrical conductivity is expressed in millimhos per centimeter (mmhos/cm) or decisiemens per meter (dS/m):

 $EC_i$ ,  $EC_{iw}$ , or  $EC_w$  = electrical conductivity of the irrigation water

 $EC_{sw}$  = electrical conductivity of the soil water

 $EC_e$  = electrical conductivity of the saturated soil extract

**Evapotranspiration**. The amount of water used by a specific crop in a given period of time, comprised of water evaporating from the soil and water transpiring from the plants. Crop evapotranspiration estimates are available from the California Department of Water Resources CIMIS program and from University of California Cooperative Extension offices as either historical averages or real-time estimates.

**Exchangeable Sodium Percentage (ESP)**. The percentage of exchangeable sodium that occupies the total cation exchange capacity of the soil. ESP can be calculated from the following formula:

$$ESP = \frac{Exchangeable (meq/100g)}{Cation \ exchange \ capacity \ (meq/100g)} x \ 100$$

**Foliar absorption rate**. Rate at which constituents in water are absorbed by plant leaves.

Glycophytes. A group of plants adversely affected by salinity. Most crop plants are glycophytes.

**Halophytes**. Plant group capable of tolerating relatively high levels of salinity.

**Hydraulic conductivity**. The ease with which water flows through the soil, determined by the physical properties and water content of the soil.

**Infiltration rate**. The rate at which water infiltrates the soil, usually expressed in inches or centimeters per hour.

**Interceptor drain**. Usually a single drain line installed perpendicular to the direction of groundwater flow, used to remove shallow groundwater flowing from upper-lying areas or to intercept seepage from waterways.

**Intermittent ponding**. A method of reclaiming saline soil by ponding small amounts of water on the soil surface in a wetting and drying cycle.

**Ion**. A positively or negatively charged constituent in water. Cations are positively charged ions and anions are negatively charged ions. Sodium, calcium, magnesium, and potassium are cations, and chloride, sulfate, and bicarbonate are anions.

**Irrigation efficiency**. A measure of the portion of total applied irrigation water beneficially used – as for crop water needs, frost protection, salt leaching, and chemical application – over the course of a season. Calculated as beneficially used water divided by total water applied, multiplied by 100.

**Leaching**. Applying irrigation water in excess of the soil moisture depletion level to remove salts from the root zone.

**Leaching fraction**. The fraction of infiltrated water applied beyond the soil moisture depletion level, which percolates below the root zone as excess water.

**Leaching requirement**. The leaching fraction needed to keep the root zone salinity level at or below the threshold tolerated by the crop. The leaching fraction is determined by the crop's tolerance to salinity and by the salinity of the irrigation water.

**Necrosis**. Plant condition indicated by the presence of dead tissue, often induced by an extreme nutrient deficiency, disease, or specific ion toxicity.

**Parallel drainage system**. Drainage system consisting of buried perforated pipe placed at equal intervals throughout a field for draining away subsurface water caused by deep percolation through the overlying land. Also called a relief drainage system.

**Piezometer.** Device for monitoring groundwater depth and movement by measuring the hydraulic head at a point below the water table or water level.

**Polymers**. Soil amendments reputed by manufacturers to react with lime in the soil to supply free calcium.

**Pre-irrigation reclamation method**. A method of estimating the amount of irrigation water needed for leaching to reduce soil salinity to acceptable levels during pre-irrigations.

Relief drainage system. See Parallel drainage system.

**Saline/sodic soil**. Soil affected by both excess salt and excess sodium.

**Salinity**. Soil condition in which the salt concentration in the crop root zone is too high for optimum plant growth and yield.

**Sodicity**. Condition in which the salt composition of the soil within the crop root zone is dominated by sodium, which affects soil structure and water infiltration.

**Sodium adsorption ratio (SAR)**. Relationship between the concentration of sodium (Na) in the irrigation water relative to the concentrations of calcium (Ca) and magnesium (Mg), expressed in meq/l as follows:

$$SAR = \frac{Na}{\sqrt{\frac{Ca + Mg}{2}}}$$

**Soil amendment**. A substance added to the soil primarily to improve its physical condition.

**Specific-ion toxicity**. Injury to the plant caused by a specific constituent, usually chloride, boron, or sodium, that has accumulated in a particular part of the plant, such as leaves and stems.

**Total dissolved solids (TDS)**. A measure of the dissolved solids in soil water, expressed in either parts per million or milligrams per liter, used to estimate the relative salinity hazard of the water.

Uniformity. See Distribution uniformity.

Water amendment. Chemicals added to water to improve soil-water properties, such as water infiltration.

This glossary is from Agricultural Salinity and Drainage, Water Management Series Publication Number 3375, 1999, Division of Agriculture and Natural Resources. Authored by Blaine Hanson, Stephen R. Grattan and Allan Fulton. Used by permission from Stephen R. Grattan.